

MEDICAL POLICY

SUBJECT: PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS	EFFECTIVE DATE: 10/18/01 REVISED DATE: 01/17/02, 03/20/03, 01/15/04, 01/20/05, 01/19/06 ARCHIVED DATE: 01/18/07 EDITED DATE: 10/18/07, 12/18/08, 11/19/09, 6/17/10, 06/16/11, 07/19/12, 07/18/13, 07/17/14, 07/16/15, 07/21/16, 07/20/17, 07/19/18
POLICY NUMBER: 7.01.48 CATEGORY: Technology Assessment	PAGE: 1 OF: 4
<ul style="list-style-type: none">• <i>If a product excludes coverage for a service, it is not covered, and medical policy criteria do not apply.</i>• <i>If a commercial product (including an Essential Plan product) or a Medicaid product covers a specific service, medical policy criteria apply to the benefit.</i>• <i>If a Medicare product covers a specific service, and there is no national or local Medicare coverage decision for the service, medical policy criteria apply to the benefit.</i>	

POLICY STATEMENT:

- I. Based upon our criteria and assessment of the peer-reviewed literature, transplantation of cord blood stem cells, from related or unrelated donors with sufficient cells per kilogram of recipient body weight to permit timely engraftment, has been medically proven to be effective and therefore, **medically appropriate** when an allogeneic transplant is imminent in an identified recipient with a diagnosis that is consistent with the possible need for allogeneic transplant but is without an identified hematopoietic stem cell donor.

A transplant is considered imminent when there is a high clinical likelihood that it will occur in the next few months.
- II. Based upon our criteria and assessment of the peer-reviewed literature, *prophylactic* collection and storage of cord blood from a neonate for some unspecified future use does not improve patient outcomes and is **not medically necessary** for the following indications:
 - A. as an autologous stem cell transplant in the original donor; OR
 - B. for some unspecified future use as an allogeneic stem cell transplant in a related or unrelated donor.

POLICY GUIDELINES:

The Federal Employee Health Benefit Program (FEHBP/FEP) requires that procedures, devices or laboratory tests approved by the U.S. Food and Drug Administration (FDA) may not be considered investigational and thus these procedures, devices or laboratory tests may be assessed only on the basis of their medical necessity.

DESCRIPTION:

A variety of malignant diseases and non-malignant bone marrow disorders are treated with high dose chemotherapy and/or total body irradiation followed by an infusion of allogeneic stem cells to rescue the patient by re-establishing his/her bone marrow, which has been eradicated by the treatment (myeloablation). The allogeneic stem cells are collected from immunologically compatible donors, either from family members or an unrelated donor identified through a bone marrow donor bank. In many cases, a suitable donor is not found.

Blood harvested from the umbilical cord and placenta shortly after delivery of neonates contains stem and progenitor cells capable of restoring hematopoietic function after myeloablation. These “cord” blood or placental and umbilical cord blood stem cell transplants (PCB-SCT) have been used as an alternative source of allogeneic stem cells transplants. Cord blood is readily available and is thought to be antigenically “naive,” thus minimizing the incidence of graft-versus-host disease (GVHD) and permitting the broader use of unrelated cord blood transplants. Retrospective analysis of outcome data demonstrates that recipient body weight influences outcome of PCB SCT primarily by its effect on the cells dose transplanted.

Cord blood for future transplantation should be collected, processed and stored at cord blood banks that adhere to the standards drafted or adopted by appropriate professional organizations (e.g., the Foundation for the Accreditation of Hematopoietic Cell Therapy, the American Association of Blood Banks). The FDA Center for Biologics Evaluation and Research “Tissue Action Plan” is a framework for regulating human tissues, cells, and cell- or tissue-based products to register with the FDA and list all relevant products. Thus, the plan applies to all aspects of harvesting, processing, storing, banking, and using cord blood stem cells.

<p>SUBJECT: PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS</p> <p>POLICY NUMBER: 7.01.48 CATEGORY: Technology Assessment</p>	<p>EFFECTIVE DATE: 10/18/01 REVISED DATE: 01/17/02, 03/20/03, 01/15/04, 01/20/05, 01/19/06 ARCHIVED DATE: 01/18/07 EDITED DATE: 10/18/07, 12/18/08, 11/19/09, 06/17/10, 06/16/11, 07/19/12, 07/18/13, 07/17/14, 07/16/15, 07/21/16, 07/20/17, 07/19/18</p> <p>PAGE: 3 OF: 4</p>
--	---

Benito AI, et al. Hematopoietic stem cell transplantation using umbilical cord blood progenitors: review of current clinical results. Bone Marrow Transplantation 2004;33:675-90.

*BlueCross BlueShield Association Technology Evaluation Center (TEC). Transplanting adult patients with hematopoietic stem cells from placental and umbilical cord blood. 2002 Apr;16(17).

BlueCross BlueShield Association. Placental and umbilical cord blood as a source of stem cells. Medical Policy Manual Policy #7.01.50. 2018 Jan 18.

Committee Opinion No. 648: Umbilical Cord Blood Banking. Obstet Gynecol Dec 2015;126(6):e127-9.

*Gluckman E. Hematopoietic stem-cell transplants using umbilical cord blood. NEJM 2001 Jun 14;344(24):1860-1.

Gluckman E. History of cord blood transplantation. Bone Marrow Transplant 2009;44:621-26.

Godley LA, et al. The next frontier for stem cell transplantation: finding a donor for all. JAMA 2010;303(14):1421-22.

*Laughlin MJ, et al. Hematopoietic engraftment and survival in adult recipients of umbilical cord blood from unrelated donors. NEJM 2001 Jun 14;344(24):1815-22.

*Laughlin MJ, et al. Outcomes after transplantation of cord blood or bone marrow from unrelated donors in adults with leukemia. NEJM 2004 Nov 25;351(22):2265-75.

Liu HL, et al. Similar survival, but better quality of life after myeloablative transplantation using unrelated cord blood vs matched sibling donors in adults with hematologic malignancies. Bone Marrow Transplant 2014 Aug;49(8):1063-9.

Locatelli F, et al. The changing role of stem cell transplantation in childhood. Bone Marrow Transplant 2008 Jun;41(Suppl2):S3-7.

Rao M, et al. Concise review: Cord blood banking, transplantation and induced pluripotent stem cell: success and opportunities. Stem Cells 2012; 30(1):55-60.

Rocha V, et al. Pediatric related and unrelated cord blood transplantation for malignant disease. Bone Marrow Transplant 2009 Nov;44(10):653-9.

*Rocha V, et al. Comparison of outcomes of unrelated bone marrow and umbilical cord blood transplants in children with acute leukemia. Blood 2001;97:2962-71.

Rocha V, et al. Transplants of umbilical-cord blood or bone marrow from unrelated donors in adults with acute leukemia. NEJM 2004 Nov 25;351(22):1276-85.

Rocha V, et al. Pediatric related and unrelated cord blood transplantation for malignant disease. Bone Marrow Transplant 2009 Nov;44(10):653-9.

*Sanz MA, et al. Unrelated donor umbilical cord blood transplantation in adults. Leukemia 2002 Oct;16(10):1984-91.

*Shpall EJ, et al. Transplantation of ex vivo expanded cord blood. Biol Blood Marrow Transplant 2002;8(7):368-76.

Staba SL, et al. Cord-blood transplants from unrelated donors in patients with hurler's syndrome. NEJM 2004 May 6;350(19):1960-9.

* key article

KEY WORDS:

Cord blood storage, Placental blood storage, Stem cells.

SUBJECT: PLACENTAL AND UMBILICAL CORD BLOOD AS A SOURCE OF STEM CELLS	EFFECTIVE DATE: 10/18/01 REVISED DATE: 01/17/02, 03/20/03, 01/15/04, 01/20/05, 01/19/06 ARCHIVED DATE: 01/18/07 EDITED DATE: 10/18/07, 12/18/08, 11/19/09, 06/17/10, 06/16/11, 07/19/12, 07/18/13, 07/17/14, 07/16/15, 07/21/16, 07/20/17, 07/19/18
POLICY NUMBER: 7.01.48 CATEGORY: Technology Assessment	PAGE: 4 OF: 4

CMS COVERAGE FOR MEDICARE PRODUCT MEMBERS

There is currently a National Coverage Determination (NCD) for Stem Cell Transplantation. Please refer to the following NCD website for Medicare Members: <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=366&ncdver=1&bc=AgAAgAAAAAAAAAA%3d%3d&>